Astronomy 102: Relativity, Black Holes, and the Big Bang.

What do black holes, wormholes, time warps, space-time curvature, hyperspace and the Big Bang have in common?

- Explanations with their origins in Einstein's theories: the **special theory of relativity** (1905) and the **general theory of relativity** (1915).

This semester we will discuss all of these exotic phenomena, mostly quantitatively, in the context of Einstein's theories.



Artist's conception of the quasar 3C273, from Thorne, *Black holes and time warps.*

Lecture 01 *Astronomy 102* 1

Our primary goals in teaching Astronomy 102

- To **demystify** black holes, the Big Bang, and relativity, so you can evaluate critically the things you find about them in the media.
- To show you how scientific theories are conceived and advanced in general.

In doing so we aim primarily at **non-science majors.**



This semester's AST 102 class, plotted by concentration.

Lecture 01 *Astronomy 102* 2

Our primary goals in teaching Astronomy 102 (continued)

We hope that by the end of the course you will understand and retain enough to be able to offer correct explanations of black holes and such to your friends and family, and that you will retain a permanent, basic understanding of how science works.



This semester's AST 102 class, plotted by class.

Lecture 01 *Astronomy 102* 3

Human and printed features of Astronomy 102

People:
- ❑ **Frank Wolfs**, professor
- ❑ **Tanveer Karim**, teaching assistant
- ❑ **Ryan Rubenzahl**, teaching assistant

Textbooks (one required, two recommended):
- ❑ Kip S. Thorne, *Black holes and time warps* (1994).
- ❑ Michael A. Seeds, *Foundations of astronomy* (2008). Also used in AST 104, 105, and 106.
- ❑ Stephen Hawking, *A brief history of time* (1988).

Lecture 01 Astronomy 102 4

Electronic features of Astronomy 102

- ❑ **Computer-projected lectures**, for greater ease in presentation of diagrams, astronomical images and computer simulations, and for on-line accessibility on our...
- ❑ **Web site**, including all lecture presentations, schedule, and much more.
  - **Primary reference for course.**
- ❑ **Personal response system**, for in-lecture problem-solving. (**Required**; available at the UR Bookstore.)
- ❑ **WeBWorK** , a computer-assisted personalized homework and exam generator.

Lecture 01 Astronomy 102 5

Onerous features of Astronomy 102

- ❑ The minimum of mathematics required to tell our story (but no less than the minimum).
- ❑ Six homework problem sets, all using WeBWorK.
- ❑ Three exams, also all using WeBWorK (but no *comprehensive* final exam).
- ❑ Grades (but on a straight scale, not a curve).

Lecture 01 Astronomy 102 6

90% of success is showing up.

All members of the class are expected to attend all of the lectures, and encouraged to attend one recitation per week.



- This is for your own good. **You will very probably get a better grade if you go to class,** as is demonstrated by these average test score and average attendance data from past AST 102 classes.

Lecture 01 Astronomy 102 7

Mid-Lecture Break

This will be a regular feature of Astronomy 102 lectures.

During the break, please **turn on** your transmitter. Select the "Wrench". You will see "Find Channels". Press "Enter" to search until you find Channel 41. When it is found, press "Enter" again.

Note: I assume you have entered your student id # into your transmitter.

Image: wide-field view of the Orion Nebula, by David Malin (Anglo-Australian Observatory).

Lecture 01 Astronomy 102 8

Test PRS Question 1: Numerical Answer

What is your student ID # ?

Lecture 01 Astronomy 102 9

Test PRS question 2

What is the best baseball team in the US?

A. Red Sox **B. Yankees** **C. Buffalo Bills**
D. I do not know **E. I do not care**

Today in Astronomy 102: How big is that?

Before discussing black holes, the Big Bang, and other celestial objects and phenomena, we need to become

- familiar with distances, time scales, masses, luminosities and speeds of astronomical importance, and
- proficient at **unit conversion**.



Sizes and distances in astronomy

	centimeters	kilometers	miles	light years
Diameter of a hydrogen atom	1.1×10^{-8}			
Diameter of a human hair	8.0×10^{-3}			
Diameter of a penny	1.9			
Diameter of Rochester	2.0×10^{6}	20	12	
Diameter of the Earth	1.3×10^{9}	1.3×10^{4}	7.9×10^{3}	
Diameter of the Moon	3.5×10^{8}	3.5×10^{3}	2.1×10^{3}	
Diameter of Jupiter	1.4×10^{10}	1.4×10^{5}	8.8×10^{4}	
Diameter of the Sun	1.4×10^{11}	1.4×10^{6}	8.6×10^{5}	
Diameter of the Milky Way galaxy	1.6×10^{23}			1.7×10^{5}
Distance to Buffalo	1.0×10^{7}	100	62	
Distance to the Moon	3.8×10^{10}	3.8×10^{5}	2.4×10^{5}	
Distance to the Sun	1.5×10^{13}	1.5×10^{8}	9.2×10^{7}	
Distance to the next nearest star, α Centauri	3.8×10^{18}			4
Distance to the center of the Milky Way	2.6×10^{22}			2.7×10^{4}
Distance to the nearest galaxy	1.6×10^{23}			1.7×10^{5}

Typical lengths and important conversions

- Diameter of normal stars: millions of *kilometers* (km)
- Distance between stars in a galaxy: a few *light-years* (ly)
- Diameter of normal galaxies: tens of *kilo-light-years* (kLy)
- Distances between galaxies: a *million light-years* (Mly)
- 1 ly = 9.46052961×10^{17} cm = 9.46052961×10^{12} km
- 1 km = 10^5 cm; 1 kly = 10^3 ly; 1 Mly = 10^3 kly = 10^6 ly.

Example: The Andromeda nebula (a galaxy a lot like our Milky Way) lies at a distance D = 2.5 Mly. How many centimeters is that?

$$D = 2.5\ \text{Mly}\times\frac{10^6\ \text{ly}}{1\ \text{Mly}}\times\frac{9.46\times10^{17}\ \text{cm}}{1\ \text{ly}} = 2.4\times10^{24}\ \text{cm}$$

Lecture 01 Astronomy 102 13

More details on numerical answers

Note that the last answer was written as 2.4×10^{24} cm.

- Not just 2.4×10^{24}. Numerical answers in the physical sciences and engineering are incomplete without units.
- And not 2.36513240×10^{24} cm, even though that's how your calculator would put it. Numerical answers should be rounded off: **display no more than one more significant figure than the least precise input number**.
  - If we had been told that the distance to the Andromeda galaxy is 2.5000000 Mly, then the conversion factor would have to have been put in with more significant figures, and the right answer would have been 2.36513240×10^{24} cm.

Lecture 01 Astronomy 102 14

More details on Unit Conversion

Previous example: repeated multiplication by 1. One may *always* multiply anything by 1 without changing its real value.

The unit conversions always give a couple of useful forms of 1. Take, for example, the conversion 1 ly = 9.46×10^{17} cm:

$$\frac{9.46\times10^{17}\ \text{cm}}{1\ \text{ly}} = 1 = \frac{1\ \text{ly}}{9.46\times10^{17}\ \text{cm}}$$

Choose forms of 1 that cancel out the units you want to get rid of, and that insert the units to which you wish to convert. This sometimes takes *repeated* multiplication by 1, as in the previous example:

$$D = 2.5\ \text{Mly}\times\frac{10^6\ \text{ly}}{1\ \text{Mly}}\times\frac{9.46\times10^{17}\ \text{cm}}{1\ \text{ly}} = 2.4\times10^{24}\ \text{cm}$$

Lecture 01 Astronomy 102 15

There is nothing sacred about centimeters, grams and seconds.

Units are generally chosen to be **convenient amounts** of whatever is being measured. Examples:

- The **light-year (ly)** is far more convenient than the centimeter for expression of length in astronomy; on large scales we even use millions of ly (Mly).
- The convenient unit of **mass** in astronomy is the **solar mass**: the mass of the Sun.

Values of physical quantities are **ratios** to the values of the unit quantities.

How is that so far?

How comfortable are you, with these concepts, and doing these calculations?

A. Pretty uncomfortable B. OK but need reminders
C. Perfectly comfortable D. Expert

Masses in astronomy

	Grams	Pounds	Solar masses ($M_\odot$)
Hydrogen atom	1.67×10^{-24}		
Penny (uncirculated)	3.2	0.0071	
Ton	1.02×10^{6}	2240	
Earth	6.0×10^{27}	1.3×10^{25}	3.0×10^{-6}
Moon	7.4×10^{25}		3.7×10^{-8}
Jupiter	1.9×10^{30}		1.0×10^{-3}
Sun	2.0×10^{33}		1
Milky Way galaxy	6×10^{45}		3×10^{12}

Typical masses and important conversions

- Smallest stars: 0.08 solar masses ($M_\odot$)
- Normal stars: around one $M_\odot$
- Giant stars: tens of $M_\odot$
- Normal galaxies: 10^{11} - 10^{12} $M_\odot$
- Clusters of galaxies: 10^{14} - 10^{15} $M_\odot$
- 1 $M_\odot$ = 2.0×10^{33} grams = solar mass = mass of the Sun
- 1 pound = 454 grams

Example: Vega, the brightest star in the Northern sky, has a mass of about 2.5 $M_\odot$. What is its mass in grams?

$$M = 2.5\ M_\odot \times \frac{2\times10^{33}\ \text{gm}}{1\ M_\odot} = 5.0\times10^{33}\ \text{gm}$$

Lecture 01 Astronomy 102 19

How many Earths in the Sun?

By what factor is the Sun (2.0×10^{33} g) more massive than the Earth (6.0×10^{27} g)?

Work it out and send the answer on your clicker.

Lecture 01 Astronomy 102 20

Times and ages in astronomy

	seconds	hours	days	years
Earth's rotation period	8.64×10^4	24	1	
Moon's revolution period	2.3606×10^6	655.73	27.322	
Earth's revolution period	3.1558×10^7	8.7661×10^3	365.25	1
Century	3.16×10^9			100
Recorded human history	1.6×10^{11}			5000
Milky Way Galaxy's rotation period (at Sun's orbit)	7.5×10^{15}			2.4×10^8
Age of the Sun and Earth	1.44×10^{17}			4.56×10^9
Total lifetime of the Sun	4.7×10^{17}			1.5×10^{10}
Age of the Universe	4.4×10^{17}			1.4×10^{10}

Lecture 01 Astronomy 102 21

Typical timespans and important conversions

- Planetary revolution period: around 1 year
- Life expectancy, normal stars: around 10^{10} years
- Life expectancy, giant stars: 10^6 - 10^8 years
- Rotation period of normal galaxies: 10^7 - 10^9 years
- 1 year = 3.16×10^7 seconds
- 1 hour = 3600 seconds

Example: How many seconds is a normal human lifespan (US)?

$$t = 75 \text{ years} \times \frac{3.16\times10^7 \text{ seconds}}{1 \text{ year}} = 2.37\times10^9 \text{ seconds}$$

Lecture 01 Astronomy 102 22

The fundamental dimensions

Distance, time and mass are fundamental dimensions.

- Distances along each of the three different perpendicular directions of space determine the location of a given body with respect to others.
- Time determines the instant in the given body has that location.
- A given body's mass determines how strongly the force of **gravity** influences it.
- Each given body has an additional fundamental dimension like mass, corresponding to each of the forces of nature. Electric charge, for example, dictates how strongly the electrostatic force influences a given body.

Lecture 01 Astronomy 102 23

The fundamental dimensions (continued)

The dimensions of all other physical quantities are combinations of these fundamental dimensions.

- For instance: the dimension of **velocity**, and velocity's magnitude **speed**, is distance divided by time, as you know.
- The dimension of **energy** is mass times distance squared, divided by time squared.
  - i.e. mass times the square of the dimension of speed
- Units are the scales of the *quantities* that go with the *qualities* that are dimensions.

Thus: four fundamental dimensions for location (three space, one time), and in principle four for response to forces (gravity, electricity, and the strong and weak nuclear forces).

Lecture 01 Astronomy 102 24



Speeds in astronomy

	cm per second	km per second	miles per hour
NYS Thruway speed limit	3.0×10^{3}	3.0×10^{-2}	65
Earth's rotational speed at the equator	4.7×10^{4}	0.47	1050
Speed of Earth in orbit	3×10^{6}	30	
Speed of Sun in orbit around center of Milky Way	2.5×10^{7}	250	
Speed of Milky Way with respect to local Universe	5.5×10^{7}	550	
Speed of light	2.9979×10^{10}	2.9979×10^{5}	

Lecture 01 Astronomy 102 25

Typical speeds and important conversions

- Planetary orbits in a solar system: tens of km/s
- Stellar orbits in a normal galaxy: hundreds of km/s
- Speed between nearby galaxies: hundreds of km/s
- Speed of light: 2.99792458×10^{10} cm per second
- Conversion factors: use those given for distance and time.

Example: One mile is equal to 1.61 kilometers. What is the speed of light in miles per hour?

$$c = 2.9979\times10^{10}\,\frac{\text{cm}}{\text{sec}}\times\frac{\text{km}}{10^{5}\text{ cm}}\times\frac{\text{mile}}{1.61\text{ km}}\times\frac{3600\text{ sec}}{\text{hour}}$$

$$= 6.70\times10^{8}\,\frac{\text{mile}}{\text{hour}}$$ (670 *million* miles per hour)

Lecture 01 Astronomy 102 26

Work, heat and energy in astronomy

Hydrogen atom binding energy	1.6×10^{-12} erg
Dietary calorie	4.2×10^{10} erg
Burn 1 kg anthracite coal	4.3×10^{14} erg
Detonate H bomb (1 megaton)	4.2×10^{22} erg
Earth-Sun binding energy	5.3×10^{40} erg
Sun's fuel supply at birth	2×10^{51} erg
Supernova (exploding star)	10^{53} erg

Lecture 01 Astronomy 102 27

Units of energy

In AST 102 our usual unit of energy will be the **erg**:

$$1\ \text{erg} = \frac{1\ \text{gram} \times (1\ \text{cm})^2}{(1\ \text{second})^2} = \text{gm cm}^2\ \text{sec}^{-2}$$

which is the unit of energy in the CGS (centimeter-gram-second) system of units.

Possibly you are more familiar with the International System (SI, a.k.a. MKS for meter-kilogram-second) unit of energy, the **joule**:

$$1\ \text{joule} = \frac{1\ \text{kg} \times (1\ \text{m})^2}{(1\ \text{second})^2} = \text{kg m}^2\ \text{sec}^{-2} = 10^7\ \text{erg}$$

The others we have listed will find some uses too.

Lecture 01 Astronomy 102 28

Luminosity (total power output) in astronomy

	ergs per second	watts (joules per second)	Solar luminosities ($L_\odot$)
100 W light bulb	1.0×10^9	100	
150 horsepower car engine	1.2×10^{12}	1.2×10^5	
Large city	10^{15}	10^8	
H bomb (1 megaton, 0.01 second)	4.2×10^{21}	4.2×10^{14}	1.1×10^{-12}
Sun	3.8×10^{33}	3.8×10^{26}	1
Largest stars	4×10^{38}	4×10^{31}	10^5
Milky Way galaxy	8×10^{43}		2×10^{10}
3C 273 (a typical quasar)	4×10^{45}		10^{12}

For the astronomical objects, the power is emitted mostly in the form of light; hence the name.

Lecture 01 Astronomy 102 29

Typical luminosities and important conversions

- Normal stars: around one solar luminosity ($L_\odot$)
- Giant stars: thousands to hundreds of thousands of $L_\odot$
- Normal galaxies: 10^9 - 10^{10} $L_\odot$
- Quasars: 10^{12} - 10^{13} $L_\odot$
- 1 $L_\odot$ = $3.8\text{x}10^{33}$ erg/s = luminosity of the Sun
- 1 watt = 10^7 erg/s

Example: Vega, the brightest star in the Northern summer sky, has a luminosity of about $1.9\text{x}10^{35}$ erg/s. What's that in solar luminosities?

$$L = 1.9\times10^{35}\ \text{erg/s} \times \frac{1\ L_\odot}{3.8\times10^{33}\ \text{erg/s}} = 50\ L_\odot$$

Lecture 01 Astronomy 102 30

Rates

Speed and luminosity are examples of rates.

- Speed v is the rate of change of position x with time t:

$$v = \frac{\Delta x}{\Delta t} \quad \Rightarrow \quad \Delta x = v\Delta t \text{ if } v \text{ is constant.}$$

position *interval* (distance) — time *interval*

- Luminosity L is the rate of change of energy E with time t:

$$L = \frac{\Delta E}{\Delta t} \quad \Rightarrow \quad \Delta E = L\Delta t \text{ if } L \text{ is constant.}$$

Lecture 01 Astronomy 102 31

Speed as a rate

Example: The radius of the Earth's orbit around the Sun is 1.5×10^{13} cm. What is its orbital speed (assumed constant)?

$$v = \frac{\Delta x}{\Delta t} = \frac{2\pi r}{\Delta t} = \frac{2 \times 3.14159 \times (1.5 \times 10^{13} \text{ cm})}{1 \text{ year}} \times \left(\frac{1 \text{ year}}{3.16 \times 10^{7} \text{ seconds}} \right)$$

$$= 3.0 \times 10^{6} \frac{\text{cm}}{\text{sec}} \times \left(\frac{\text{km}}{10^{5} \text{ cm}} \times \frac{1 \text{ mile}}{1.61 \text{ km}} \times \frac{3600 \text{ sec}}{\text{hour}} \right) = 66{,}800 \text{ mph.}$$

Example: How long should it take to get to Buffalo from here, at the Thruway speed limit?

$$\Delta t = \frac{\Delta x}{v} = \frac{60 \text{ miles}}{65 \frac{\text{miles}}{\text{hour}}} = 0.92 \text{ hour} \times \left(\frac{60 \text{ minutes}}{\text{hour}} \right) = 55 \text{ minutes.}$$

Lecture 01 Astronomy 102 32

Now you try, with PRSs

There are eight furlongs in a mile, and two weeks in a fortnight. Suppose we take the furlong to be our unit of length, and a fortnight to be our unit of time.

Then, what are the units of speed?

A. Furlong fortnights B. Fortnights per furlong

C. Furlongs per fortnight D. Furlongs per second.

Lecture 01 Astronomy 102 33

And again.

There are eight furlongs in a mile, and two weeks in a fortnight. Suppose we take the furlong to be our unit of length, and a fortnight to be our unit of time.

What is the NYS Thruway speed limit in this new system of units?

A. 1.5 furlongs per fortnight B. 1.5×10^{5} furlongs per fortnight
C. 8×10^{-4} furlong fortnights D. 42 fortnights per furlong

Luminosity as a rate

Example: How long could the Sun live at its current luminosity, considering the fuel supply with which it was born?

$$\Delta t = \frac{\Delta E}{L} = \frac{2\times10^{51}\ \text{erg}}{3.8\times10^{33}\ \frac{\text{erg}}{\text{sec}}} = 5.3\times10^{17}\ \text{sec}\times\left(\frac{\text{year}}{3.16\times10^{7}\ \text{sec}}\right)$$
$$= 1.7\times10^{10}\ \text{years}\quad (17\ \text{billion years}).$$

It has already lived 4.56 billion years.

Example: What is *your* "luminosity" in erg/sec, if you eat 3000 calories a day and don't gain or lose weight?

$$L = \frac{\Delta E}{\Delta t} = \frac{3000\ \text{Cal}}{1\ \text{day}}\times\left(\frac{1\ \text{day}}{86400\ \text{sec}}\times\frac{4.2\times10^{10}\ \text{erg}}{\text{Cal}}\right) = 1.5\times10^{9}\ \frac{\text{erg}}{\text{sec}}.$$

Remember the How Big Is That sheet

Many important physical quantities that we will use frequently are collected on the The How Big Is That sheet, found under the "Other Links", "Download/Links" tab on the Astronomy 102 Web site.

- ❑ You will always have access to this page while you're doing homework or exams. Thus you don't have to memorize all the numbers.
- ❑ However, to use the sheet effectively, and to understand our astronomical discussions, you must become familiar enough with them to know about how big most of them are.
  - It would do you good to memorize at least the "typical" values of things, on the previous pages.

Done for today!
Picture: Milky Way Over Spain's Bardenas Reales.



Lecture 01 *Astronomy 102* *37*