


Physics 121.
Lecture 25.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

1

Physics 121.
Lecture 25.

- Course Information
- Topics to be discussed today:
 - Second law of thermodynamics

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

2

Physics 121.
Lecture 25.

- Homework set # 10 is due on Saturday morning, May 2, at 8.30 am. Set # 10 is optional. Your final homework grade will be determined after removing your lowest homework grade.
- You will receive your grade on exam # 3 on Monday May 4 (via email).
- You can pick up Exam # 3 in the POA on Monday May 4, between 2 pm and 4 pm in the POA. Jacob Lieberman will be there to help you.
- Any complaints about Exam # 3 must be addressed by me; please write down why you feel the exam was not graded properly and hand it to me before the end of my office hours on Thursday, May 7.

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

3

Physics 121.
Final Exam - Details.

- The final exam will be on Friday May 8 at 7.15 pm in Hubbell. You are not allowed to leave the exam until 8.45 pm. You will be able to start the exam until 8.45 pm.
- The final exam will cover all the material discussed in the course; there will be NO particular focus on thermodynamics. **NOTE: no error analysis.**
- Extra office hours of the TAs and me will be announced via email.
- The formula sheet to be attached to the final exam will be distributed via email.
- Please use all the resources at your disposal to prepare for the exam (e.g. the detailed solutions of previous exams, the homework assignments, office hours, etc.).

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

4

Out final quiz.

- Let us practice what we have learned.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

5


Some words of wisdom.

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

6

Day 1. Injury 1.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

7

Just follow the signs.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

8

Many people from all over the world walking
to the same destination for different reasons.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

9



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

10

Rain or shine.
Warm or cold.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

11

Just follow the arrows.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

12

Reaching your destination.
No matter matter, no matter how.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

13

Some words of wisdom from my graduation
speech in May 2019.

- In Spring 2019, I was on a walking trip with my family in Spain, covering 500 miles between St. Jean in France and Santiago de Compostela in Spain in 33 days. I made many observations during these 33 days, some of which may apply to you. After departing St. Jean on April 4, I observed that those who only focused each day on the final destination, wanting to get there first, or in the shortest possible walking time, were most likely to drop out. Those who walked slowly, including myself, and enjoyed every blooming flower, every new view emerging around every corner, and took the time to look back and be amazed by how far we had come, reached the finish line, even when on certain days it was difficult to keep moving one foot in front of the other. Soon all of you are heading in a new direction, taking a new road to a new destination, and my advice to you is to enjoy the road just as much as your destination. Do not focus only on your destination or how long it will take to reach your destination, but make sure you enjoy the road to your destination as much as you enjoy reaching your destination.

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

14

Back to Physics.

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

15


Second law of thermodynamics.

- There are several different forms of the second law of thermodynamics:

- It is not possible to completely change heat into work with no other change taking place.

- Heat flows naturally from a hot object to a cold object; heat will not flow spontaneously from a cold object to a hot object.

- Many naturally processes do not violate conservation of energy when executed in reverse, but would violate the second law.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

16

Second law of thermodynamics. Heat engines.

- Most engines rely on a temperature difference to operate.

- Let's understand why:

- The steam pushes the piston to the right and does work on the piston:


$$W_{in} = nRT_{in} \ln \frac{V_{in}}{V_{out}}$$

- To remove the steam, the piston has to do work on the steam:

$$W_{out} = nRT_{out} \ln \frac{V_{out}}{V_{in}}$$

- If $T_{in} = T_{out}$: $W_{in} + W_{out} = 0$ (no net work is done).

- In order to do work, $T_{in} > T_{out}$. We must thus cool the steam before compression starts.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

17


Second law of thermodynamics. Heat engines.

- The efficiency of an engine is defined as the ratio of the heat extracted from the hot reservoir and the work done:

$$\text{Efficiency} = \frac{|W|}{|Q_H|}$$

- Because of the second law, no engine can have a 100% efficiency!

- Note: the cost of operation does not only depend on the cost of maintaining the high temperature reservoir, but may also include the cost of maintaining the cold temperature reservoir.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

18

Second law of thermodynamics. Heat pumps.

- In many cases (heat engines), the conversion of flow of heat to work is the primary purpose of the engine (e.g. the car engine).
- In many other applications (heat pumps), work is converted to a flow of heat (e.g. air conditioning).
- Note: $Q_H > Q_L$.

Frank L. H. Wolfs
Department of Physics and Astronomy, University of Rochester

19

Second law of thermodynamics. Heat pumps.

Note: you can not cool your house by opening the door of your refrigerator!

Frank L. H. Wolfs
Department of Physics and Astronomy, University of Rochester

20

Second law of thermodynamics. Heat pumps.

Note: You usually pay for the work done but not for the heat extracted from the outside. You can thus get more energy than what you pay for!

Frank L. H. Wolfs
Department of Physics and Astronomy, University of Rochester

21

Second law of thermodynamics. Heat pumps.

- Heat pumps:
 - The heat capacity increases with increasing outside temperature.
 - Additional heaters may be required in colder climates.
 - The heat capacity can also be increased by changing the source of heat from the air to the ground.

<http://ire.nrc-cnrc.gc.ca/cbd/cbd195c.html>

<http://www.bhydro.com/powersmart/clibrary/clibrary685.html>

Department of Physics and Astronomy, University of Rochester

22

Second law of thermodynamics. Heat pumps.

- Heat pumps:
 - Heaters in the winter: take heat from the outside to the inside.
 - Air conditioners in the summer: take heat from the inside to the outside.

Department of Physics and Astronomy, University of Rochester

23

3 Minute 58 Second Intermission.


- Since paying attention for 1 hour and 15 minutes is hard when the topic is physics, let's take a 3 minute 58 second intermission.
- You can:
 - Stretch out.
 - Talk to your neighbors.
 - Ask me a quick question.
 - Enjoy the fantastic music.

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

24

Second Law of Thermodynamics. The Carnot Cycle.



A "perfect" engine
used to determine
the limits on efficiency.

Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester


25

Second Law of Thermodynamics. The Carnot Cycle.

• Step 1: a to b.

- The gas is in contact with a heat bath at temperature T_H and weight is removed from the piston.
- The gas expands, while maintaining a constant temperature (the change in the internal energy is thus equal to 0 J).
- Using the first law of thermodynamics we see that

$$|Q_H| = |W_H| = nRT_H \ln \frac{V_b}{V_a}$$



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester


26

Second Law of Thermodynamics. The Carnot Cycle.

• Step 2: b to c.

- The gas is isolated from the environment and some more weight is removed from the piston.
- The gas expands and during the adiabatic expansion, the temperature of the gas will decrease.
- For adiabatic expansion pV^γ is constant, and we can thus relate state b to state c:

$$T_H V_b^{\gamma-1} = T_C V_c^{\gamma-1}$$



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

27

Second Law of Thermodynamics. The Carnot Cycle.


• Step 3: c to d.

- The gas is in contact with a heat bath at temperature T_C and weight is added to the piston.

- The gas is compressed, while maintaining a constant temperature (the change in the internal energy is thus equal to 0 J).

- Using the first law of thermodynamics we see that

$$|Q_C| = |W_C| = nRT_C \ln \frac{V_c}{V_d}$$



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

28

Second Law of Thermodynamics. The Carnot Cycle.


• Step 4: d to a.

- The gas is isolated from the environment and some more weight is added to the piston.

- The gas is compressed and during the adiabatic compression, the temperature of the gas will increase.

- For adiabatic expansion pV^γ is constant, and we can thus relate state b to state c:

$$T_H V_b^{\gamma-1} = T_C V_c^{\gamma-1}$$



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

29


Second Law of Thermodynamics. The Carnot Cycle.

- The adiabatic expansion and compression steps can be used to show that

$$\frac{V_b}{V_a} = \frac{V_c}{V_d}$$

- This relation between the volumes is very useful since it allows us to determine the ratio of the heat flows:

$$\frac{|Q_H|}{|Q_C|} = \frac{T_H \ln \frac{V_b}{V_a}}{T_C \ln \frac{V_c}{V_d}} = \frac{T_H}{T_C}$$



Frank L. H. Wolfs


Department of Physics and Astronomy, University of Rochester

30

Second Law of Thermodynamics. The Carnot Cycle.

- The efficiency of the Carnot cycle can now be determined.
- Note that the work done by the Carnot engine is the difference between the heat extracted from the hot reservoir and the heat dumped in the cold reservoir:

$$e = \frac{|Q_H| - |Q_C|}{|Q_H|} = 1 - \frac{T_C}{T_H} = \frac{T_H - T_C}{T_H}$$



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

31

Second Law of Thermodynamics. The Carnot Cycle.

- If we look at the efficiency of the Carnot cycle:

$$e = \frac{|Q_H| - |Q_C|}{|Q_H|} = 1 - \frac{T_C}{T_H} = \frac{T_H - T_C}{T_H}$$

you see that the efficiency improves when the temperature difference between the hot and the cold bath increases. This is why it sometimes pays to increase the cooling of your engine!

- Carnot's theorem tells us that no real engine can have an efficiency more than that of the Carnot engine.


Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

32

Second Law of Thermodynamics. The Carnot Cycle.

- The Carnot cycle is an example of a reversible process, which is a process that can be done in reverse.
- A reversible process requires that any changes are made infinitely slowly.
- Real processes are not reversible due to for example friction, turbulence in the gas, etc.




Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

33

Entropy.

- Our study of the Carnot cycle showed that $Q_H/T_H + Q_L/T_L = 0$.
- Since any reversible cycle can be approximated by a series of Carnot cycles, we expect that the integral of dQ/T along the closed path of the cycle is 0 J.
- One consequence is that the integral of dQ/T between a and b is independent of the path.
- The quantity dQ/T is called **the entropy dS** .
- The entropy difference between a and b is thus path independent, and entropy is a state variable.




Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

34

Entropy.

- Entropy is a state variable, but Q and W are not state variables since they depend on the path used to get from a to b .
- For a **reversible process**, the change in the entropy of the engine is opposite to the change in entropy of the environment that provides the heat required (or absorbs the heat generated). **The net change in the total entropy is thus 0 J/K.**
- For an **irreversible process**, the net change in the total entropy will be **larger than 0 J/K.**




Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

35

Entropy and the Second Law of Thermodynamics.

- We can express the second law of thermodynamic in terms of the entropy of the system:



- The entropy of an isolated system will never decrease. It either stays the same (reversible process) or increases (irreversible process).
- Natural processes tend to move toward a state of greater disorder.



Frank L. H. Wolfs

Department of Physics and Astronomy, University of Rochester

36

Physics 121.
Do you violate the second law?

- During the past 4 months, your brain hopefully has absorbed much of what I have covered, and concepts associated with mechanics should be in a much more ordered state in your brain on May 8 compared to their order on January 20.
- Do you violate the second law by going from physics disorder to physics order?
- Not if you include the disorder you dumped into your environment due to sweating over the exams and homework assignments. If you include that disorder, this course has a resulted in a greater disorder in our Universe (since clearly the impact of Physics 121 is irreversible).

Frank L. H. Wolfs Department of Physics and Astronomy, University of Rochester

37

Physics 121. The End.
You are almost free (and so am I)!



Frank L. H. Wolfs Department of Physics and Astronomy, University of Rochester

38
